

Protocol-S

CDS Ingestion Starting Protocol

Protocol-S, also known as Sensitive Protocol, is especially suitable for extremely sensitive people or people with multiple chemical allergies who cannot tolerate chlorine dioxide (CDS) ingestion in the conventional way. This protocol focuses on gradual dose escalation to minimize the potential for adverse effects.

(Editor's note: about 50% of the population is said to have a mutation of the MTHFR gene which makes detoxing very difficult and with negative side effects. Only very small doses of CLO2 can be tolerated. Search online for remedies)

Procedure:

Day 1: Mix 1 ml CDS in 500 ml water.

Day 2: Mix 2 ml CDS in 1 liter of water.

Day 3: Increase the dose to 3 ml of CDS in 1 liter of water.

Day 4: Increase to 4 ml of CDS in 1 liter of water.

Continue to gradually increase the dosage by an additional 1 ml per liter of water each day until you reach 10 ml of CDS per liter of water, (which is the starting dose for Protocol-C. The maximum safe daily dose is 70ml of CDS for a 70kg person. See chart below.)

If at any time you experience discomfort or adverse effects, you should reduce the dose to the previous level at which you were comfortable. The objective of this protocol is to allow highly sensitive individuals to gradually become accustomed to CDS and minimize the chances of adverse reactions.

